



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3424365
Dated/दिनांक : 19-06-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	30-06-2023 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	30-06-2023 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	Indian Institute Of Technology Tirupati
Office Name/कार्यालय का नाम	Hod
Total Quantity/कुल मात्रा	25
Item Category/मद केटेगरी	Wooden Almirah (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	2 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	2 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Wooden Almirah
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above

in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Wooden Almirah	13
Schedule 2	Wooden Almirah	4
Schedule 3	Wooden Almirah	8

Wooden Almirah (13 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Construction	ISI Marked, single layer MDF Board conforming to Grade SBG II of IS 12406/2003 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, ISI Marked, three layer Prelaminated particle Board conforming to Grade II Type III of IS 12823/2013 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, TEAK WOOD, OTHER WOOD, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Melamine Chip Board (for body panels - door - side panel - drawer components) and Prelaminated board (for body back and drawer bottom)
	Number of Shelves (Nos)	1, 2, 3, 4, 5, 6, NO SHELVES
	Number of Doors (Nos)	1
	Height in mm (±10 mm)	750, 850, 950, 1050, 1200, 1350, 1450, 1550, 1650, 1750, 1850, 2100, 2250, 2350, 2450
	Depth in mm (±5 mm)	430, 450, 480, 455
	Width in mm (±10 mm)	700, 760, 800, 910, 1020, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1830
DIMENSIONS	Thickness of Top in mm (±2 mm)	16, 18, 20, 25, 30, 35
	Thickness of Sides in mm (±1 mm)	16, 18, 20, 22, 24, 26, 30, 35
	Thickness of Back in mm (±1 mm)	8, 10, 12, 14
	Thickness of Bottom in mm (±1 mm)	12, 14, 16, 18, 20, 22, 24, 26
	Thickness of shelf in mm (±1 mm)	10, 12, 14, 16, 18, 20, 22, 24, 26, 8 mm (for drawer shelf and drawer bottom) and 18 mm for shelf
	Thickness of Door in mm (± 1 mm)	12, 14, 16, 18, 20, 22, 24, 26
MISC	Type of Doors	Hinged doors of equal width hung with auto closing hinges of 0 cranking overlay type, Sliding Type Doors, With 4 mm thick Mirror (on door) and Top cornice made of HDF foil wrapped decorative trim
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5

Additional Specification Parameters - Wooden Almirah (13 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	630*1020MM
NO.OF.KEYS HANGERS	100
PRODUCT MAKE MATERIAL-STEEL	DOOR LOCK REQUIRED
DOORS MATERIAL	ACRYLIC DOOR
The key cabinet should have a sliding or openable door. Key numbers should be printed on steel and on the key holders. Glass covers should be moved easily on bearings. Locks with two keys should be provided for safety.	Strong Aluminium frame Steel corners should be provided at the back to hang on the wall. A glass steel back key cabinet interior should be spacious enough to hold many keys. Colour: classic silver colour.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	N GNANA SEKHAR	517619,INDIAN INSTITUTE OF TECHNOLOGY, TIRUPATI-YERPEDU CAMPUS, YERPEDU-VENKATAGIRI HIGHWAY, YERPEDU POST, YERPEDU MANDAL	13	21

Wooden Almirah (4 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Construction	ISI Marked, single layer MDF Board conforming to Grade SBG II of IS 12406/2003 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, ISI Marked, three layer Prelaminated particle Board conforming to Grade II Type III of IS 12823/2013 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, TEAK WOOD, OTHER WOOD, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Melamine Chip Board (for body panels - door - side panel - drawer components) and Prelaminated board (for body back and drawer bottom)
	Number of Shelves (Nos)	1, 2, 3, 4, 5, 6, NO SHELVES
	Number of Doors (Nos)	1
	Height in mm (± 10 mm)	750, 850, 950, 1050, 1200, 1350, 1450, 1550, 1650, 1750, 1850, 2100, 2250, 2350, 2450
	Depth in mm (± 5 mm)	430, 450, 480, 455
	Width in mm (± 10 mm)	700, 760, 800, 910, 1020, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1830
	DIMENSIONS	Thickness of Top in mm (± 2 mm)
Thickness of Sides in mm (± 1 mm)		16, 18, 20, 22, 24, 26, 30, 35
Thickness of Back in mm (± 1 mm)		8, 10, 12, 14
Thickness of Bottom in mm (± 1 mm)		12, 14, 16, 18, 20, 22, 24, 26
Thickness of shelf in mm (± 1 mm)		10, 12, 14, 16, 18, 20, 22, 24, 26, 8 mm (for drawer shelf and drawer bottom) and 18 mm for shelf
Thickness of Door in mm (± 1 mm)		12, 14, 16, 18, 20, 22, 24, 26
MISC	Type of Doors	Hinged doors of equal width hung with auto closing hinges of 0 cranking overlay type, Sliding Type Doors, With 4 mm thick Mirror (on door) and Top cornice made of HDF foil wrapped decorative trim
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5

Additional Specification Parameters - Wooden Almira (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	630*630MM
NO.OF.KEYS HANGERS	50
PRODUCT MAKE- STEEL	DOORS MATERIAL - ACRYLIC DOOR
DOOR LOCK	REQUIRED
The key cabinet should have a sliding or openable door. Key numbers should be printed on steel and on the key holders. Glass covers should be moved easily on bearings. Locks with two keys should be provided for safety.	Strong Aluminium frame Steel corners should be provided at the back to hang on the wall. A glass steel back key cabinet interior should be spacious enough to hold many keys. Colour: classic silver colour.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	N GNANA SEKHAR	517619, INDIAN INSTITUTE OF TECHNOLOGY, TIRUPATI-YERPEDU CAMPUS, YERPEDU-VENKATAGIRI HIGHWAY, YERPEDU POST, YERPEDU MANDAL	4	21

Wooden Almira (8 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Construction	ISI Marked, single layer MDF Board conforming to Grade SBG II of IS 12406/2003 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, ISI Marked, three layer Prelaminated particle Board conforming to Grade II Type III of IS 12823/2013 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side, TEAK WOOD, OTHER WOOD, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Melamine Chip Board (for body panels - door - side panel - drawer components) and Prelaminated board (for body back and drawer bottom)
	Number of Shelves (Nos)	1, 2, 3, 4, 5, 6, NO SHELVES
	Number of Doors (Nos)	1
	Height in mm (± 10 mm)	750, 850, 950, 1050, 1200, 1350, 1450, 1550, 1650, 1750, 1850, 2100, 2250, 2350, 2450
	Depth in mm (± 5 mm)	430, 450, 480, 455
	Width in mm (± 10 mm)	700, 760, 800, 910, 1020, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1830
	DIMENSIONS	Thickness of Top in mm (± 2 mm)
Thickness of Sides in mm (± 1 mm)		16, 18, 20, 22, 24, 26, 30, 35
Thickness of Back in mm (± 1 mm)		8, 10, 12, 14
Thickness of Bottom in mm (± 1 mm)		12, 14, 16, 18, 20, 22, 24, 26
Thickness of shelf in mm (± 1 mm)		10, 12, 14, 16, 18, 20, 22, 24, 26, 8 mm (for drawer shelf and drawer bottom) and 18 mm for shelf
Thickness of Door in mm (± 1 mm)		12, 14, 16, 18, 20, 22, 24, 26
MISC	Type of Doors	Hinged doors of equal width hung with auto closing hinges of 0 cranking overlay type, Sliding Type Doors, With 4 mm thick Mirror (on door) and Top cornice made of HDF foil wrapped decorative trim
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5

Additional Specification Parameters - Wooden Almirah (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	430*510
NO.OF.KEYS HANGERS	30
PRODUCT MAKE MATERIAL-STEEL	DOORS MATERIAL - ACRYLIC DOOR
DOOR LOCK	REQUIRED
This key cabinet with sliding or openable door. Key numbers printed on steel and on the key holders. Glass cover moves easily on bearings. Lock with two keys provided for safety.	Strong Aluminium frame Steel corners are provided at the back to hang on the wall. A variety of colours are available, but this one is classic silver colour.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	N GNANA SEKHAR	517619,INDIAN INSTITUTE OF TECHNOLOGY, TIRUPATI-YERPEDU CAMPUS, YERPEDU- VENKATAGIRI HIGHWAY, YERPEDU POST, YERPEDU MANDAL	8	21

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be

submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Indian Institute of Technology Tirupati
Yerpedu – Venkatagiri Road,
Yerpedu Post,
Tirupati District,
Andhra Pradesh. Pincode - 517619.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

7. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

9. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

10. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

11. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

12. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

13. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

14. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

15. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---